

M A T E R I A L S A F E T Y D A T A S H E E T

PRODUCT NAME: ADD-A-GRIP
 PRODUCT CODE: 59-192

HMIS CODES: H F R P
 1 0 0

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: NELSONITE POOL AND DECK COATING
 ADDRESS : 3150 E. PICO BLVD.

LOS ANGELES, CA 90023-3683

EMERGENCY PHONE(CHEMTREC) : (800) 424-9300 DATE PRINTED : 09/22/06
 INFORMATION PHONE : (800) 544-1998 NAME OF PREPARER : N/A

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mmHG	WEIGHT @TEMP(F)	PERCENT
~ ALUMINUM OXIDE ACGIH TLV: 10 mg/m3	1344-28-1	NA	NA	98.00
TITANIUM DIOXIDE (as total nuisance dust) OSHA PEL: 10 ppm, ACGIH TLV: 10 mg/m3	13463-67-7	NA	NA	2

~Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING RANGE (Deg F): n/a DENSITY: 32.90 lb/gl
 VAPOR DENSITY: HEAVIER THAN AIR SPECIFIC GRAVITY (H2O=1): 3.95
 COATING V.O.C.: 0.00 lb/gl MATERIAL V.O.C.: 0.00 lb/gl
 COATING V.O.C.: 0 g/l MATERIAL V.O.C.: 0 g/l
 SOLUBILITY IN WATER: Negligible EVAPORATION RATE: SLOWER THAN ETHER
 APPEARANCE AND ODOR: Light to dark brown, odorless.

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT (Deg F): n/a METHOD USED: n/a
 FLAMMABLE LIMITS IN AIR BY % VOLUME- LOWER: n/a UPPER: n/a

EXTINGUISHING MEDIA: AS APPROPRIATE FOR SURROUNDING FIRE

SPECIAL FIREFIGHTING PROCEDURES
 None known.

UNUSUAL FIRE AND EXPLOSION HAZARDS
 Fire-exposed container should be cooled with water.

===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE

CONDITIONS TO AVOID
 None known.

INCOMPATIBILITY (MATERIALS TO AVOID)
 Incompatible with hot chlorinated rubber.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
 NOT APPLICABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

=====
SECTION VI - HEALTH HAZARD DATA
=====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Exposure to excessive airborne concentrations may result in acute respiratory disorders. Individuals with impaired pulmonary functions should not be subjected to excessive airborne concentrations.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Symptoms of excessive exposure might include deposits of material in eyes, ears, nasal passages and irritation of the mucuous membranes, eyes and respiratory tract.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Irritation of the skin may also occur due to mechanical/chemical action.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Ingestion: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

HEALTH HAZARDS (ACUTE AND CHRONIC)

Acute: May cause eye and skin irritation. Inhalation may cause slight to moderate irritation of the mucous membranes. Chronic: No long term effects are anticipated.

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

-

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Pre-existing lung or respiratory tract disorders may be aggravated.

EMERGENCY AND FIRST AID PROCEDURES

REMOVE FROM EXPOSURE. IRRIGATE EYES AND SKIN WITH COPIOUS QUANTITIES OF WATER. SEEK MEDICAL ATTENTION.

=====
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE
=====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

SUBJECT PERSONNEL TO USE NORMAL PRECAUTIONS FOR INERT OR NUISANCE DUSTS AND PARTICULATES.

WASTE DISPOSAL METHOD

Dispose of in accordance with local, state and federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep containers tightly closed.

OTHER PRECAUTIONS

Do not take internally.

=====
SECTION VIII - CONTROL MEASURES
=====

RESPIRATORY PROTECTION

Utilize NIOSH approved respiratory protection devices for nuisance dust.

VENTILATION

Utilize local exhaust to keep airborne concentration below TLV.

PROTECTIVE GLOVES

Chemical resistant gloves

EYE PROTECTION

Chemical safety goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Eye bath and safety shower Arm sleeves or barrier creams may be useful in the prevention of dermatitis.

WORK/HYGIENIC PRACTICES

Wash hands thoroughly before eating or using the washroom. Smoke in smoking areas only.

===== SECTION IX - REGULATORY INFORMATION =====

CALIFORNIA PROPOSITION 65

None.

===== SECTION X - DISCLAIMER =====

The information contained herein is based on the data available to us and is believed to be correct. However, NELSONITE POOL AND DECK COATING makes no warranty expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. NELSONITE POOL AND DECK COATING assumes no responsibility for injury from the use of the product described herein.