

MATERIAL SAFETY DATA SHEET

Stain Solution #2 (The Copper and Scale Stuff)

Identity (Trade name as used on label)

Manufacturer Jack's Magic Products, Inc.	MSDS # N/A
Address 6950 112th Circle	CAS # N/A
Largo, FL 33773	Date Prepared 6/1/99
Phone # (for information) 1-800-348-1656	Prepared By N/A
Emergency Phone # 1-800-424-9300 (international 703-527-3887)	

SECTION 1 – MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS – Chemical Name & Common Name (Hazardous Components 1% or greater, carcinogens 0.1% or greater)	%	OSHA PEL	ACHH TLV	OTHER LIMITS RECOMMENDED
Contains: Proprietary Formulation	100	N/A	N/A	N/A
Non-Hazardous Ingredients				
TOTAL	100			

SECTION 2 – PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point 408 F	Specific Gravity (H ₂ =1) 2.125
Vapor Pressure (mm/Hg and Temperature) N/A	Melting Point 401 F
Vapor Density (Air = 1) N/A	Evaporation Rate N/A
Solubility in Water 17.7	Water Reactive N/A
Appearance and Color White to off-white crystals. Odorless.	

SECTION 3 – FIRE AND EXPLOSION DATA

Flash Point & Method Used	Auto Ignition Temperature	Flamability Limits in Air % by Volume	LEL	UEL
None	N/A	N/A	N/A	N/A
Extinguisher Media Not combustible. Use extinguishing media appropriate for surrounding fire.				
Special Fire Fighting Procedures Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.				
Unusual Fire and Explosion Hazards May release sulfur dioxide, sulfur trioxide, or ammonia if involved in a fire. Aqueous solutions of this product are highly acidic.				

SECTION 4 – REACTIVITY HAZARD DATA

Stability

Stable

Unstable

Conditions to Avoid

Open flame, welding arc, or high temperature source that may induce thermal decomposition.

Incompatibility (Materials to Avoid)

Acids and oxidizing material

Hazardous Decomposition Products

May liberate sulfur dioxide gas and sodium sulfide.

Hazardous Polymerization

Will Not Occur

May Occur

Conditions to Avoid

Open flame, welding arc, or high temperature source that may induce thermal decomposition.

SECTION 5 – HEALTH HAZARD DATA

Primary Routes of Entry

Inhalation

Skin Absorption

Ingestion

Not Hazardous

Carcinogen Listed In

NTP

IARC Monograph

OSHA

Not Listed

Health Hazards

Acute: **N/A**

Chronic: **N/A**

Signs and Symptoms of Exposure

Breathing dust may irritate the nose and throat and cause chest discomfort. Dust may irritate the eyes. May be irritating to skin after prolonged contact.

Medical Conditions Generally Aggravated by Exposure

None reported.

Emergency First Aid Procedures

See below.

Eye Contact

Immediately flush eyes with lots of running water for 15 min., lifting the upper and lower eyelids occasionally. Seek immediate medical attention.

Skin Contact

Wash with soap and water. See a physician if irritation occurs. Remove and wash clothing.

Inhalation

Remove to fresh air. Give artificial respiration if not breathing. Seek immediate medical attention if irritation occurs.

Ingestion

N/A

SECTION 6 – CONTROL AND PROTECTIVE MEASURES

Respiratory Protection (Specific Type)

None required for recommended use.

Protective Gloves

Rubber gloves should be used.

Eye Protection

Safety goggles should be used.

Ventilation To Be Used

Local Exhaust

Mechanical (general)

Special

Other (specify): **General ventilation.**

Other Protective Clothing and Equipment

N/A

Hygienic Work Practices

General hygienic work practices should be followed.

SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken if material is spilled or released

For small spills, sweep up and dispose of in D.O.T approved waste containers.

Water Disposal Methods

Dispose of in accordance with all applicable local, state and federal regulations. Empty containers retain vapor or product residue and can be dangerous.

Precautions to be taken in handling and storage

Avoid breathing dust. Store in closed containers in a cool, dry area.

Other Precautions and/or Special Hazards: **None normally required.**

